	Application No.	Applicant(s)
Notice of Allowability	10/736,538	TAKAYAMA ET AL.
	Examiner	Art Unit
	George P. Wyszomierski	1742
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.  1. This communication is responsive to the RCE and Amendment filed 8/7/2007.		
2.  The allowed claim(s) is/are <u>22-25,29 and 30</u> .		
<ul> <li>3. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).</li> <li>a) All b) Some* c) None of the:</li> <li>1. Certified copies of the priority documents have been received.</li> <li>2. Certified copies of the priority documents have been received in Application No. 10/011,815.</li> <li>3. Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).</li> <li>* Certified copies not received:</li> </ul> Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements		
noted below. Failure to timely comply will result in ABANDONMENT of this application.  THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. CORRECTED DRAWINGS ( as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review ( PTO-948) attached		
1) 🗌 hereto or 2) 🔲 to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s)	_	
1. Notice of References Cited (PTO-892)	5. Notice of Informal F	• •
2. Notice of Draftperson's Patent Drawing Review (PTO-948)	6. ☐ Interview Summary Paper No./Mail Da	r (PTO-413), te
<ol> <li>Information Disclosure Statements (PTO/SB/08), Paper No./Mail Date 8/7/07</li> </ol>	7. Examiner's Amend	ment/Comment
Examiner's Comment Regarding Requirement for Deposit of Biological Material	8. 🛛 Examiner's Stateme	ent of Reasons for Allowance
	9.	

Application/Control Number: 10/736,538 Page 2

Art Unit: 1742

1. The following is an examiner's statement of reasons for allowance:

Applicant's amendment canceling claim 21 and incorporating the subject matter of that claim into claim 22 obviates all outstanding rejections of the instant claims. With respect to claim 22, the prior art does not disclose or suggest a process that includes integrating a compacted cylindrical component made from a sintered contact material that includes 10% or more Fe base alloy, metallic Al, and 10-70% Cu with an iron-base cylindrical backing by interposing a third material between those two materials that will generate a liquid phase useful for bonding the contact material to the backing when heated, heating to at least 800.deg.C to expand the contact material and bond to the backing by utilizing a Cu base liquid generated at this temperature, and heating to at least 900.deg.C to generate more Cu base liquid to compact the contact material. With respect to claim 29, the prior art does not disclose or suggest a process similar to the above, but where instead of employing the third material, the backing is provided with a collar, and a wear-resistant material or the contact material is integrated with a sliding contact surface of the collar by brazing, sinter-bonding or infiltration simultaneously with the integration of the backing.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Page 3

MARY EXAMINER

2. Any inquiry concerning this communication or earlier communications from the examiner should be directed to George Wyszomierski whose telephone number is (571) 272-1252. The examiner can normally be reached on Monday thru Friday from 8:00 a.m. to 4:30 p.m. Eastern time.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Roy King, can be reached on (571) 272-1244. All patent application related correspondence transmitted by facsimile must be directed to the <u>central facsimile number</u>, (571)-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

GPW

September 10, 2007